

EDAN



iM8 Series Patient Monitor



iM8 Series
Patient Monitor



EDAN Edan Instruments, Inc.


- 3/F – B, Nanshan Medical Equipment Park, Nanshan Rd 1019#, Shekou, Nanshan Shenzhen, 518067 P.R. China
- Tel: +86-755-26898326 • Fax: +86-755-26898330 • www.edan.com.cn • Email: info@edan.com.cn
- All rights reserved. Features and specifications are subject to change without notice



ENG-PM-iM8/iM8A/iM8B-V1.2-20130222



Care for Health



iM8 Series

iM8/iM8A/iM8B Reliable Patient Monitor



The iM8 series put reliable monitoring technologies at your finger tips. With their accurate readings and optimized performance, the iM8 series can meet basic monitoring needs, bringing easy access to high-quality healthcare for everyone.

- High resolution color TFT-LCD screen
- Pacemaker detection
- Defibrillation and electrosurgical interference protection
- Pitch tone (Pulse-tone modulation)
- Unique iSEAP algorithm which is specially optimized for arrhythmia patients
- Dual-mode anti-interference pulse oximetry
- SP10 Validated NIBP
- Built-in rechargeable Li-ion battery
- Nurse call
- VGA output (optional)
- Suitable for adult, pediatric and neonatal patients

Standard Parameters: 3/5-lead ECG, RESP, EDAN SpO₂, NIBP, PR, 2-TEMP

Optional: 2-IBP, Respironics CO₂, EDAN CO₂, Thermal Recorder, WLAN Accessory Kit

Seamless Connectivity

The Wi-Fi connectivity of the iM8 series enables healthcare providers to monitor their patients' health status from almost anywhere. Connecting it with EDAN MFM-CMS software, you may log on from any PC/Tablet to and check the status of your patients.



500 NIBP Measurement Review	96 h Trend Review	60 Alarm Review	720 s Frozen Waveform
---------------------------------------	-----------------------------	---------------------------	---------------------------------

Respironics CO₂ (Mainstream/Sidestream, optional) for Intubated/Non-intubated Patients

		<ul style="list-style-type: none"> ■ Proven ruggedness - Solid state design ■ Suitable for neonatal patients ■ No need to calibrate on a regular basis ■ Sidestream sampling rate of 50 ml/min
--	--	--

Display Modes

3/5-lead ECG Analysis	OxyCRG for Neonate	Large Font	Trend Screen