

WelchAllyn® **DECLARATION OF CONFORMITY**
 (in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

We declare, under our sole responsibility, that the product listed below conforms to the provisions of the European Council Directive 93/42/EEC of 14 June 1993 concerning medical devices.

Manufacturer's Name and Business Address: Welch Allyn, Inc.
 4341 State Street Road
 Skaneateles Falls, NY 13153, USA

EC REP

Regulatory Affairs Representative
 Welch Allyn Limited
 Navan Business Park
 Dublin Road
 Navan, County Meath
 Republic of Ireland

Product Name: Welch Allyn FlexiPort™ REUSE, SOFT, VINYL Blood Pressure Cuffs

REF

901043 BLOOD PRESSURE CUFF, REUSEABLE
 901044 BLOOD PRESSURE CUFF, DISPOSABLE

#

Welch Allyn FlexiPort™ REUSE	
#	Description
DS44-DUR10	CUFF, DURASHOCK DS44, SM ADULT
DS45-DUR10	CUFF, DURASHOCK DS45, SM ADULT
DS45-DUR12	CUFF, DURASHOCK DS45, LG ADULT
REUSE-06	CUFF, WA, REUSABLE, SMALL INFA
REUSE-06-1HP	CUFF, REUS, SM INFANT, 1-TUBE,
REUSE-06-1MQ	CUFF, REUS, SM INFANT, 1-TUBE,
REUSE-06-1SC	CUFF, REUS, SM INFANT, 1-TUBE,
REUSE-06-1TP	CUFF, REUS, SM INFANT, 1-TUBE,
REUSE-06-1TPE	CUFF, REUS, SM INFANT, 1-TUBE
REUSE-07	CUFF, WA, REUSABLE, INFANT
REUSE-07-1HP	CUFF, REUS, INFANT, 1-TUBE, HP
REUSE-07-1MQ	CUFF, REUS, INFANT, 1-TUBE, MQ
REUSE-07-1SC	CUFF, REUS, INFANT, 1-TUBE, SC
REUSE-07-1TP	CUFF, REUS, INFANT, 1-TUBE, TP
REUSE-07-1TPE	CUFF, REUS, INFANT, 1-TUBE TPE
REUSE-07-2BV	CUFF, REUS, INFANT, 2-TUBE, BV
REUSE-07-2BVC	CUFF, REUS, INFANT, 2-TUBE, BV
REUSE-07-2MF	CUFF, REUS, INFANT, 2-TUBE, MF
REUSE-07-2MQ	CUFF, REUS, INFANT, 2-TUBE, MQ
REUSE-07-2SC	CUFF, REUS, INFANT, 2-TUBE, SC

WelchAllyn® **DECLARATION OF CONFORMITY**
(in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

Welch Allyn FlexiPort™ REUSE	
#	Description
REUSE-07-2TP	CUFF, REUS, INFANT, 2-TUBE, TP
REUSE-07-2TPE	CUFF, REUS, INFANT, 2-TB, TPE
REUSE-08	CUFF, WA, REUSABLE, SM CHILD
REUSE-08-1HP	CUFF, REUS SM CHILD 1-TUBE, HP
REUSE-08-1MQ	CUFF, REUS SM CHILD 1-TUBE, MQ
REUSE-08-1SC	CUFF, REUS SM CHILD 1-TUBE, SC
REUSE-08-1TP	CUFF, REUS SM CHILD 1-TUBE, TP
REUSE-08-1TPE	CUFF, REUS SM CHILD 1-TUBE TPE
REUSE-08-2BV	CUFF, REUS SM CHILD 2-TUBE, BV
REUSE-08-2BVC	CUFF, REUS SM CHILD 2-TUBE, BV
REUSE-08-2MF	CUFF, REUS SM CHILD 2-TUBE MF
REUSE-08-2MQ	CUFF, REUS SM CHILD 2-TUBE, MQ
REUSE-08-2SC	CUFF, REUS SM CHILD 2-TUBE, SC
REUSE-08-2TP	CUFF, REUS SM CHILD 2-TUBE, TP
REUSE-08-2TPE	CUFF, REUS SM CHILD 2-TB, TPE
REUSE-09	CUFF, WA, REUSABLE, CHILD
REUSE-09-1HP	CUFF, REUS, CHILD, 1-TUBE, HP
REUSE-09-1MQ	CUFF, REUS, CHILD, 1-TUBE, MQ
REUSE-09-1SC	CUFF, REUS, CHILD, 1-TUBE, SC
REUSE-09-1TP	CUFF, REUS, CHILD, 1-TUBE, TP
REUSE-09-1TPE	CUFF, REUS, CHILD, 1-TUBE, TPE
REUSE-09-2BV	CUFF, REUS, CHILD, 2-TUBE, BV
REUSE-09-2BVC	CUFF, REUS, CHILD, 2-TUBE, BVC
REUSE-09-2MF	CUFF, REUS, CHILD, 2-TUBE MF
REUSE-09-2MQ	CUFF, REUS, CHILD, 2-TUBE, MQ
REUSE-09-2SC	CUFF, REUS, CHILD, 2-TUBE, SC
REUSE-09-2TP	CUFF, REUS, CHILD, 2-TUBE, TP
REUSE-09-2TPE	CUFF, REUS, CHILD, 2-TUBE, TPE
REUSE-10	CUFF, WA, REUSABLE, SM ADULT
REUSE-10-1HP	CUFF, REUS, SM AD, 1-TUBE, HP
REUSE-10-1MQ	CUFF, REUS, SM AD, 1-TUBE, MQ
REUSE-10-1SC	CUFF, REUS, SM AD, 1-TUBE, SC
REUSE-10-1TP	CUFF, REUS, SM AD, 1-TUBE, TP
REUSE-10-1TPE	CUFF, REUS, SM AD, 1-TUBE, TPE
REUSE-10-2BV	CUFF, REUS, SM AD, 2-TUBE, BV
REUSE-10-2BVC	CUFF, REUS, SM AD, 2-TUBE, BVC
REUSE-10-2MF	CUFF, REUS, SM AD, 2-TUBE, MF
REUSE-10-2MQ	CUFF, REUS, SM AD, 2-TUBE, MQ
REUSE-10-2SC	CUFF, REUS, SM AD, 2-TUBE, SC

WelchAllyn® **DECLARATION OF CONFORMITY**
 (in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

Welch Allyn FlexiPort™ REUSE	
#	Description
REUSE-10-2TP	CUFF, REUS, SM AD, 2-TUBE, TP
REUSE-10-2TPE	CUFF, REUS, SM AD, 2-TUBE, TPE
REUSE-11	CUFF, WA, REUSABLE, ADULT
REUSE-11-1HP	CUFF, REUS, ADULT, 1-TUBE, HP
REUSE-11-1MQ	CUFF, REUS, ADULT, 1-TUBE, MQ
REUSE-11-1SC	CUFF, REUS, ADULT, 1-TUBE, SC
REUSE-11-1TP	CUFF, REUS, ADULT, 1-TUBE, TP
REUSE-11-1TPE	CUFF, REUS, ADULT, 1-TUBE, TPE
REUSE-11-2BV	CUFF, REUS, ADULT, 2-TUBE, BV
REUSE-11-2BVC	CUFF, REUS, ADULT, 2-TUBE, BVC
REUSE-11-2MF	CUFF, REUS, ADULT, 2-TUBE, MF
REUSE-11-2MQ	CUFF, REUS, ADULT, 2-TUBE, MQ
REUSE-11-2SC	CUFF, REUS, ADULT, 2-TUBE, SC
REUSE-11-2TP	CUFF, REUS, ADULT, 2-TUBE, TP
REUSE-11-2TPE	CUFF, REUS, ADULT, 2-TUBE, TPE
REUSE-11C	REUSE-11 NIBP CUFF FOR CHINA
REUSE-11L	CUFF, WA, REUSABLE ADULT LONG
REUSE-11L-1HP	CUFF, REUS, AD LONG 1-TUBE, HP
REUSE-11L-1MQ	CUFF, REUS, AD LONG 1-TUBE, MQ
REUSE-11L-1SC	CUFF, REUS, AD LONG 1-TUBE, SC
REUSE-11L-1TP	CUFF, REUS, AD LONG 1-TUBE, TP
REUSE-11L-1TPE	CUFF, REUS, AD LONG 1-TUBE TPE
REUSE-11L-2BV	CUFF, REUS, AD LONG 2-TUBE, BV
REUSE-11L-2BVC	CUFF, REUS, AD LONG 2-TUBE, BV
REUSE-11L-2MF	CUFF, REUS, AD LONG 2-TUBE, MF
REUSE-11L-2MQ	CUFF, REUS, AD LONG 2-TUBE, MQ
REUSE-11L-2SC	CUFF, REUS, AD LONG 2-TUBE, SC
REUSE-11L-2TP	CUFF, REUS, AD LONG 2-TUBE, TP
REUSE-11L-2TPE	CUFF, REUS, AD LONG 2-TUBE TPE
REUSE-12	CUFF, WA, REUSABLE, LG ADULT
REUSE-12-1HP	CUFF, REUS, LG AD, 1-TUBE, HP
REUSE-12-1MQ	CUFF, REUS, LG AD, 1-TUBE, MQ
REUSE-12-1SC	REUS, LG AD, 1-TUBE, SC
REUSE-12-1TP	CUFF, REUS, LG AD, 1-TUBE, TP
REUSE-12-1TPE	CUFF, REUS, LG AD, 1-TUBE, TPE
REUSE-12-2BV	CUFF, REUS, LG AD, 2-TUBE, BV
REUSE-12-2BVC	CUFF, REUS, LG AD, 2-TUBE, BVC
REUSE-12-2MF	CUFF, REUS, LG AD, 2-TUBE, MF
REUSE-12-2MQ	CUFF, REUS, LG AD, 2-TUBE, MQ



DECLARATION OF CONFORMITY

(in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

Welch Allyn FlexiPort™ REUSE	
#	Description
REUSE-12-2SC	CUFF, REUS, LG AD, 2-TUBE, SC
REUSE-12-2TP	CUFF, REUS, LG AD, 2-TUBE, TP
REUSE-12-2TPE	CUFF, REUS, LG AD, 2-TUBE, TPE
REUSE-12L	CUFF, WA, REUS, LG ADULT LONG
REUSE-12L-1HP	CUFF REUS LG AD LONG 1-TUBE HP
REUSE-12L-1MQ	CUFF REUS LG AD LONG 1-TUBE MQ
REUSE-12L-1SC	CUFF REUS LG AD LONG 1-TUBE SC
REUSE-12L-1TP	CUFF REUS LG AD LONG 1-TUBE TP
REUSE-12L-1TPE	CUFF REUS LG AD LONG 1-TUBE TP
REUSE-12L-2BV	CUFF REUS LG AD LONG 2-TUBE BV
REUSE-12L-2BVC	CUFF REUS LG AD LONG 2-TUBE BV
REUSE-12L-2MF	CUFF REUS LG AD LONG 2-TUBE MF
REUSE-12L-2MQ	CUFF REUS LG AD LONG 2-TUBE MQ
REUSE-12L-2SC	CUFF REUS LG AD LONG 2-TUBE SC
REUSE-12L-2TP	CUFF REUS LG AD LONG 2-TUBE TP
REUSE-12L-2TPE	CUFF REUS LG AD LONG 2-TUBE TP
REUSE-13	CUFF, WA, REUSABLE, THIGH
REUSE-13-1HP	CUFF, REUS, THIGH, 1-TUBE, HP
REUSE-13-1MQ	CUFF, REUS, THIGH, 1-TUBE, MQ
REUSE-13-1SC	CUFF, REUS, THIGH, 1-TUBE, SC
REUSE-13-1TP	CUFF, REUS, THIGH, 1-TUBE, TP
REUSE-13-1TPE	CUFF, REUS, THIGH, 1-TUBE, TPE
REUSE-13-2BV	CUFF, REUS, THIGH, 2-TUBE, BV
REUSE-13-2BVC	CUFF, REUS, THIGH, 2-TUBE, BVC
REUSE-13-2MF	CUFF, REUS, THIGH, 2-TUBE, MF
REUSE-13-2MQ	CUFF, REUS, THIGH, 2-TUBE, MQ
REUSE-13-2SC	CUFF, REUS, THIGH, 2-TUBE, SC
REUSE-13-2TP	CUFF, REUS, THIGH, 2-TUBE, TP
REUSE-13-2TPE	CUFF, REUS, THIGH, 2-TUBE, TPE
REUSE-ACC-MON	CUFF, REUSE(CHILD,SM ADULT,THI
REUSE-FP-BV	CUFF, REUSE, FP WALL PACK
REUSE-FP-HAND	CUFF, REUSE, FP HAND GAUGE PAC
REUSE-FP-MON	CUFF,REUSE, FP MONITOR PACK
REUSE-MLT	CUFF, REUS, MULTIPACK
REUSE-MLT-1	CUFF,REUSE,ADULT MULTIPACK,1-T
REUSE-MLT-2	CUFF,REUSE,ADULT MULTIPACK,2-T
REUSE-PED-BV	CUFF, REUSE, PED WALL PACK
REUSE-PED-HAND	CUFF, REUSE, PED HAND GAUGE PA
REUSE-PED-MON	CUFF, REUSE, PED MONITOR PACK



DECLARATION OF CONFORMITY

(in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

Welch Allyn FlexiPort™ REUSE	
#	Description
405190	CUFF, REUSE, AD + LG AD, 1TB S
405192	CUFF, REUSE, AD + LG AD, 2TB M
405240	CUFF, REUSE, CHILD, AD, LG AD, 1T
405242	CUFF, REUSE, CHILD, AD, LGAD, THIGH
405260	CUFF, REUSE, CHILD, 2-TUBE, TP
410519	CUFF KIT

Welch Allyn FlexiPort™ SOFT	
#	Description
SOFT-06	CUFF, WA, SOFT, SMALL INFANT
SOFT-06-1HP	CUFF, SOFT, SM INFANT, 1-TUBE,
SOFT-06-1MQ	CUFF, SOFT, SM INFANT, 1-TUBE,
SOFT-06-1SC	CUFF, SOFT, SM INFANT, 1-TUBE,
SOFT-06-1TP	CUFF, SOFT, SM INFANT, 1-TUBE,
SOFT-06-1TPE	CUFF, SOFT, SM INFANT, 1-TUBE,
SOFT-07	CUFF, WA, SOFT, INFANT
SOFT-07-1HP	CUFF, SOFT, INFANT, 1-TUBE, HP
SOFT-07-1MQ	CUFF, SOFT, INFANT, 1-TUBE, MQ
SOFT-07-1SC	CUFF, SOFT, INFANT, 1-TUBE, SC
SOFT-07-1TP	CUFF, SOFT, INFANT, 1-TUBE, TP
SOFT-07-1TPE	CUFF, SOFT, INFANT, 1-TUBE, TP
SOFT-07-2BV	CUFF, SOFT, INFANT, 2-TUBE, BV
SOFT-07-2BVC	CUFF, SOFT, INFANT, 2-TUBE, BV
SOFT-07-2MF	CUFF, SOFT, INFANT, 2-TUBE, MF
SOFT-07-2MQ	CUFF, SOFT, INFANT, 2-TUBE, MQ
SOFT-07-2SC	CUFF, SOFT, INFANT, 2-TUBE, SC
SOFT-07-2TP	CUFF, SOFT, INFANT, 2-TUBE, TP
SOFT-07-2TPE	CUFF, SOFT, INFANT, 2-TUBE TPE
SOFT-08	CUFF, WA, SOFT, SMALL CHILD
SOFT-08-1HP	CUFF, SOFT SM CHILD 1-TUBE, HP
SOFT-08-1MQ	CUFF, SOFT SM CHILD 1-TUBE, MQ
SOFT-08-1SC	CUFF, SOFT SM CHILD 1-TUBE, SC
SOFT-08-1TP	CUFF, SOFT SM CHILD 1-TUBE, TP
SOFT-08-1TPE	CUFF, SOFT, SM CHILD 1-TUBE, T
SOFT-08-2BV	CUFF, SOFT SM CHILD 2-TUBE, BV
SOFT-08-2BVC	CUFF, SOFT SM CHILD 2-TUBE, BV
SOFT-08-2MF	CUFF, SOFT, SM CHILD, 2-TUBE,
SOFT-08-2MQ	CUFF, SOFT SM CHILD 2-TUBE, MQ
SOFT-08-2SC	CUFF, SOFT SM CHILD 2-TUBE, SC

WelchAllyn® **DECLARATION OF CONFORMITY**
(in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

Welch Allyn FlexiPort™ SOFT	
#	Description
SOFT-08-2TP	CUFF, SOFT SM CHILD 2-TUBE, TP
SOFT-08-2TPE	CUFF, SOFT SM CHILD 2-TUBE TPE
SOFT-09	CUFF, WA, SOFT, CHILD
SOFT-09-1HP	CUFF, SOFT, CHILD, 1-TUBE, HP
SOFT-09-1MQ	CUFF, SOFT, CHILD, 1-TUBE, MQ
SOFT-09-1SC	CUFF, SOFT, CHILD, 1-TUBE, SC
SOFT-09-1TP	CUFF, SOFT, CHILD, 1-TUBE, TP
SOFT-09-1TPE	CUFF, SOFT, CHILD, 1-TUBE, TPE
SOFT-09-2BV	CUFF, SOFT, CHILD, 2-TUBE, BV
SOFT-09-2BVC	CUFF, SOFT, CHILD, 2-TUBE, BVC
SOFT-09-2MF	CUFF, SOFT, CHILD, 2-TUBE, MF
SOFT-09-2MQ	CUFF, SOFT, CHILD, 2-TUBE, MQ
SOFT-09-2SC	CUFF, SOFT, CHILD, 2-TUBE, SC
SOFT-09-2SCC	CUFF, SOFT, CHILD, 2-TUBE, SCC
SOFT-09-2TP	CUFF, SOFT, CHILD, 2-TUBE, TP
SOFT-09-2TPE	CUFF, SOFT, CHILD, 2-TUBE, TPE
SOFT-10	CUFF, WA, SOFT, SMALL ADULT
SOFT-10-1HP	CUFF, SOFT, SM AD, 1-TUBE, HP
SOFT-10-1MQ	CUFF, SOFT, SM AD, 1-TUBE, MQ
SOFT-10-1SC	CUFF, SOFT, SM AD, 1-TUBE, SC
SOFT-10-1TP	CUFF, SOFT, SM AD, 1-TUBE, TP
SOFT-10-1TPE	CUFF, SOFT, SM AD, 1-TUBE, TPE
SOFT-10-2BV	CUFF, SOFT, SM AD, 2-TUBE, BV
SOFT-10-2BVC	CUFF, SOFT, SM AD, 2-TUBE, BVC
SOFT-10-2MF	CUFF, SOFT, SM AD, 2-TUBE, MF
SOFT-10-2MQ	CUFF, SOFT, SM AD, 2-TUBE, MQ
SOFT-10-2SC	CUFF, SOFT, SM AD, 2-TUBE, SC
SOFT-10-2SCC	CUFF SOFT SM ADULT 2-TUBE, SCC
SOFT-10-2TP	CUFF, SOFT, SM AD, 2-TUBE, TP
SOFT-10-2TPE	CUFF, SOFT, SM AD, 2-TUBE, TPE
SOFT-11	CUFF, WA, SOFT, ADULT
SOFT-11-1HP	CUFF, SOFT, ADULT, 1-TUBE, HP
SOFT-11-1MQ	CUFF, SOFT, ADULT, 1-TUBE, MQ
SOFT-11-1SC	CUFF, SOFT, ADULT, 1-TUBE, SC
SOFT-11-1TP	CUFF, SOFT, ADULT, 1-TUBE, TP
SOFT-11-1TPE	CUFF, SOFT, ADULT, 1-TUBE, TPE
SOFT-11-2BV	CUFF, SOFT, ADULT, 2-TUBE, BV
SOFT-11-2BVC	CUFF, SOFT, ADULT, 2-TUBE, BVC
SOFT-11-2MF	CUFF, SOFT, ADULT, 2-TUBE, MF



DECLARATION OF CONFORMITY

(in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

Welch Allyn FlexiPort™ SOFT	
#	Description
SOFT-11-2MQ	CUFF, SOFT, ADULT, 2-TUBE, MQ
SOFT-11-2SC	CUFF, SOFT, ADULT, 2-TUBE, SC
SOFT-11-2SCC	CUFF, SOFT, ADULT, 2-TUBE, SCC
SOFT-11-2TP	CUFF, SOFT, ADULT, 2-TUBE, TP
SOFT-11-2TPE	CUFF, SOFT, ADULT, 2-TUBE, TPE
SOFT-11L	CUFF, WA, SOFT, ADULT LONG
SOFT-11L-1HP	CUFF, SOFT, AD LONG 1-TUBE, HP
SOFT-11L-1MQ	CUFF, SOFT, AD LONG 1-TUBE, MQ
SOFT-11L-1SC	CUFF, SOFT, AD LONG 1-TUBE, SC
SOFT-11L-1TP	CUFF, SOFT, AD LONG 1-TUBE, TP
SOFT-11L-1TPE	CUFF, SOFT, AD LONG, 1-TUBE, T
SOFT-11L-2BV	CUFF, SOFT, AD LONG 2-TUBE, BV
SOFT-11L-2BVC	CUFF, SOFT, AD LONG 2-TUBE, BV
SOFT-11L-2MF	CUFF, SOFT, AD LONG, 2-TUBE, M
SOFT-11L-2MQ	CUFF, SOFT, AD LONG 2-TUBE, MQ
SOFT-11L-2SC	CUFF, SOFT, AD LONG 2-TUBE, SC
SOFT-11L-2TP	CUFF, SOFT, AD LONG 2-TUBE, TP
SOFT-11L-2TPE	CUFF, SOFT, AD LONG 2-TUBE TPE
SOFT-12	CUFF, WA, SOFT, LG ADULT
SOFT-12-1HP	CUFF, SOFT, LG AD, 1-TUBE, HP
SOFT-12-1MQ	CUFF, SOFT, LG AD, 1-TUBE, MQ
SOFT-12-1SC	CUFF, SOFT, LG AD, 1-TUBE, SC
SOFT-12-1TP	CUFF, SOFT, LG AD, 1-TUBE, TP
SOFT-12-1TPE	CUFF, SOFT, LG AD, 1-TUBE, TPE
SOFT-12-2BV	CUFF, SOFT, LG AD, 2-TUBE, BV
SOFT-12-2BVC	CUFF, SOFT, LG AD, 2-TUBE, BVC
SOFT-12-2MF	CUFF, SOFT, LG AD, 2-TUBE, MF
SOFT-12-2MQ	CUFF, SOFT, LG AD, 2-TUBE, MQ
SOFT-12-2SC	CUFF, SOFT, LG AD, 2-TUBE, SC
SOFT-12-2SCC	CUFF, SOFT, LG AD, 2-TUBE, SCC
SOFT-12-2TP	CUFF, SOFT, LG AD, 2-TUBE, TP
SOFT-12-2TPE	CUFF, SOFT, LG AD, 2-TUBE, TPE
SOFT-12L	CUFF, WA, SOFT, LG ADULT LONG
SOFT-12L-1HP	CUFF SOFT LG AD LONG 1-TUBE HP
SOFT-12L-1MQ	CUFF SOFT LG AD LONG 1-TUBE MQ
SOFT-12L-1SC	CUFF SOFT LG AD LONG 1-TUBE SC
SOFT-12L-1TP	CUFF SOFT LG AD LONG 1-TUBE TP
SOFT-12L-1TPE	CUFF, SOFT, LG AD LONG, 1-TUBE
SOFT-12L-2BV	CUFF SOFT LG AD LONG 2-TUBE BV



DECLARATION OF CONFORMITY

(in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

Welch Allyn FlexiPort™ SOFT	
#	Description
SOFT-12L-2BVC	CUFF SOFT LG AD LONG 2-TUBE BV
SOFT-12L-2MF	CUFF, SOFT, LG AD LONG , 2-TU
SOFT-12L-2MQ	CUFF SOFT LG AD LONG 2-TUBE MQ
SOFT-12L-2SC	CUFF SOFT LG AD LONG 2-TUBE SC
SOFT-12L-2TP	CUFF SOFT LG AD LONG 2-TUBE TP
SOFT-12L-2TPE	CUFF SOFT LGAD LONG 2-TUBE TPE
SOFT-13	CUFF, WA, SOFT, THIGH
SOFT-13-1HP	CUFF, SOFT, THIGH, 1-TUBE, HP
SOFT-13-1MQ	CUFF, SOFT, THIGH, 1-TUBE, MQ
SOFT-13-1SC	CUFF, SOFT, THIGH, 1-TUBE, SC
SOFT-13-1TP	CUFF, SOFT, THIGH, 1-TUBE, TP
SOFT-13-1TPE	CUFF, SOFT, THIGH, 1-TUBE, TPE
SOFT-13-2BV	CUFF, SOFT, THIGH, 2-TUBE, BV
SOFT-13-2BVC	CUFF, SOFT, THIGH, 2-TUBE, BVC
SOFT-13-2MF	CUFF, SOFT, THIGH, 2-TUBE, MF
SOFT-13-2MQ	CUFF, SOFT, THIGH, 2-TUBE, MQ
SOFT-13-2SC	CUFF, SOFT, THIGH, 2-TUBE, SC
SOFT-13-2SCC	CUFF, SOFT, THIGH, 2-TUBE, SCC
SOFT-13-2TP	CUFF, SOFT, THIGH, 2-TUBE, TP
SOFT-13-2TPE	CUFF, SOFT, THIGH, 2-TUBE, TPE
SOFT-MLT	CUFF, SOFT, MULTIPACK
SOFT-MLT-1	CUFF,SOFT,ADULT MULTIPACK,1-TB
SOFT-MLT-2	CUFF,SOFT,ADULT MULTIPACK,2-TB
VSOFT-09	NOVAPLUS RAW CUFF SOFT CHILD
VSOFT-10	NOVAPLUS RAW CUFF SOFT SMALL A
VSOFT-11	NOVAPLUS RAW CUFF SOFT ADULT
VSOFT-11L	NOVAPLUS RAW CUFF SOFT ADULT L
VSOFT-12	NOVAPLUS RAW CUFF SOFT LG ADUL
VSOFT-12L	NOVAPLUS RAW CUFF SOFT LG ADUL

Welch Allyn FlexiPort™ VINYL	
#	Description
VINYL-06	CUFF, WA, VINYL, SMALL INFANT
VINYL-06-1HP	CUFF, VINYL SM INFANT, 1-TUBE,
VINYL-06-1MQ	CUFF, VINYL SM INFANT, 1-TUBE,
VINYL-06-1SC	CUFF, VINYL SM INFANT, 1-TUBE,
VINYL-07	CUFF, WA, VINYL INFANT
VINYL-07-1HP	CUFF, VINYL INFANT, 1-TUBE, HP
VINYL-07-1MQ	CUFF, VINYL INFANT, 1-TUBE, MQ



DECLARATION OF CONFORMITY

(in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

Welch Allyn FlexiPort™ VINYL	
#	Description
VINYL-07-1SC	CUFF, VINYL INFANT, 1-TUBE, SC
VINYL-07-2BV	CUFF, VINYL INFANT, 2-TUBE, BV
VINYL-07-2BVC	CUFF, VINYL INFANT, 2-TUBE, BV
VINYL-07-2MQ	CUFF, VINYL INFANT, 2-TUBE, MQ
VINYL-07-2SC	CUFF, VINYL INFANT, 2-TUBE, SC
VINYL-08	CUFF, WA, VINYL SM CHILD
VINYL-08-1HP	CUFF, VINYL SM CHILD 1-TUBE HP
VINYL-08-1MQ	CUFF, VINYL SM CHILD 1-TUBE MQ
VINYL-08-1SC	CUFF, VINYL SM CHILD 1-TUBE SC
VINYL-08-2BV	CUFF, VINYL SM CHILD 2-TUBE BV
VINYL-08-2BVC	CUFF, VINYL SM CHILD 2-TUBE BV
VINYL-08-2MQ	CUFF, VINYL SM CHILD 2-TUBE MQ
VINYL-08-2SC	CUFF, VINYL SM CHILD 2-TUBE SC
VINYL-09	CUFF, WA, VINYL CHILD
VINYL-09-1HP	CUFF, VINYL CHILD, 1-TUBE, HP
VINYL-09-1MQ	CUFF, VINYL CHILD, 1-TUBE, MQ
VINYL-09-1SC	CUFF, VINYL CHILD, 1-TUBE, SC
VINYL-09-2BV	CUFF, VINYL CHILD, 2-TUBE, BV
VINYL-09-2BVC	CUFF, VINYL CHILD, 2-TUBE, BVC
VINYL-09-2MQ	CUFF, VINYL CHILD, 2-TUBE, MQ
VINYL-09-2SC	CUFF, VINYL CHILD, 2-TUBE, SC
VINYL-10	CUFF, WA, VINYL, SM AD
VINYL-10-1HP	CUFF, VINYL, SM AD, 1-TUBE, HP
VINYL-10-1MQ	CUFF, VINYL, SM AD, 1-TUBE, MQ
VINYL-10-1SC	CUFF, VINYL, SM AD, 1-TUBE, SC
VINYL-10-2BV	CUFF, VINYL, SM AD, 2-TUBE, BV
VINYL-10-2BVC	CUFF, VINYL, SM AD, 2-TUBE, BV
VINYL-10-2MQ	CUFF, VINYL, SM AD, 2-TUBE, MQ
VINYL-10-2SC	CUFF, VINYL, SM AD, 2-TUBE, SC
VINYL-11	CUFF, WA, VINYL ADULT
VINYL-11-1HP	CUFF, VINYL ADULT, 1-TUBE, HP
VINYL-11-1MQ	CUFF, VINYL ADULT, 1-TUBE, MQ
VINYL-11-1SC	CUFF, VINYL ADULT, 1-TUBE, SC
VINYL-11-2BV	CUFF, VINYL ADULT, 2-TUBE, BV
VINYL-11-2BVC	CUFF, VINYL ADULT, 2-TUBE, BVC
VINYL-11-2MQ	CUFF, VINYL ADULT, 2-TUBE, MQ
VINYL-11-2SC	CUFF, VINYL ADULT, 2-TUBE, SC
VINYL-11L	CUFF, WA, VINYL, ADULT LONG
VINYL-11L-1HP	CUFF, VINYL AD LONG 1-TUBE, HP

WelchAllyn® **DECLARATION OF CONFORMITY**
(in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527

Version: E

Welch Allyn FlexiPort™ VINYL	
#	Description
VINYL-11L-1MQ	CUFF, VINYL AD LONG 1-TUBE, MQ
VINYL-11L-1SC	CUFF, VINYL AD LONG 1-TUBE, SC
VINYL-11L-2BV	CUFF, VINYL AD LONG 2-TUBE, BV
VINYL-11L-2BVC	CUFF, VINYL AD LONG 2-TUBE, BV
VINYL-11L-2MQ	CUFF, VINYL AD LONG 2-TUBE, MQ
VINYL-11L-2SC	CUFF, VINYL AD LONG 2-TUBE, SC
VINYL-12	CUFF, WA, VINYL LG AD
VINYL-12-1HP	CUFF, VINYL LG AD, 1-TUBE, HP
VINYL-12-1MQ	CUFF, VINYL LG AD, 1-TUBE, MQ
VINYL-12-1SC	CUFF, VINYL LG AD, 1-TUBE, SC
VINYL-12-2BV	CUFF, VINYL LG AD, 2-TUBE, BV
VINYL-12-2BVC	CUFF, VINYL LG AD, 2-TUBE, BVC
VINYL-12-2MQ	CUFF, VINYL LG AD, 2-TUBE, MQ
VINYL-12-2SC	CUFF, VINYL LG AD, 2-TUBE, SC
VINYL-12L	CUFF, WA, VINYL, LG ADULT LONG
VINYL-12L-1HP	CUFF VINYL LG AD LONG 1-TUBE H
VINYL-12L-1MQ	CUFF VINYL LG AD LONG 1-TUBE M
VINYL-12L-1SC	CUFF VINYL LG AD LONG 1-TUBE S
VINYL-12L-2BV	CUFF VINYL LG AD LONG 2-TUBE B
VINYL-12L-2BVC	CUFF VINYL LG AD LONG 2-TUBE B
VINYL-12L-2MQ	CUFF VINYL LG AD LONG 2-TUBE M
VINYL-12L-2SC	CUFF VINYL LG AD LONG 2-TUBE S
VINYL-13	CUFF, WA, VINYL THIGH
VINYL-13-1HP	CUFF, VINYL THIGH, 1-TUBE, HP
VINYL-13-1MQ	CUFF, VINYL THIGH, 1-TUBE, MQ
VINYL-13-1SC	CUFF, VINYL THIGH, 1-TUBE, SC
VINYL-13-2BV	CUFF, VINYL THIGH, 2-TUBE, BV
VINYL-13-2BVC	CUFF, VINYL THIGH, 2-TUBE, BVC
VINYL-13-2MQ	CUFF, VINYL THIGH, 2-TUBE, MQ
VINYL-13-2SC	CUFF, VINYL THIGH, 2-TUBE, SC
VINYL-MLT	CUFF, VINYL, MULTIPACK

Annex: VII
 Classification: I
 Classification 1
 Rules:
 GMDN Code and Term: 34978-Cuff, blood pressure, reusable



DECLARATION OF CONFORMITY

(in accordance with ISO/IEC 17050-1)

SAP DIR No.: 80016527 Version: E

UMDNS Code 11072 Cuffs
and Term

Standards EN/ISO 10993-1 Biological Evaluation of Medical Devices – Part 1:
Applied: Evaluation and Testing within a Risk Management
Process

EN/ISO 81060-1 Non-invasive sphygmomanometers- Part 1:
Requirements and test methods for non-automated
measurement type.

Authorised Signatory:

Fiona Butler, Manager Regulatory Affairs
{EU Authorised Representative}

2016-01-11

Date

Navan

Place of Issue